

4. **Two-person verification of high risk medications includes validating patient identification, order, drug, dose, and route with documentation of a second verifier in comments section of the Barcode Medication Administration System.** a. True

b. False

5. Which of the following medications are high risk medications? (**More than one Answer**)

a. Lisinopril

d. Heparin

g. Parental Nutrition

b. Insulin

e. Aspirin

c. Benadryl

f. Narcotics

“Code 44 “

- 1. Circle all correct answers. A code 44 is used to get help for?**
 - a. Patient Distress
 - b. Disruptive behavior
 - c. Hostile actions

- 2. How many levels of need are there for disruptive behavior?**
 - a. One
 - b. Two
 - c. three

- 3. What must be done to receive help for disruptive behavior?**
 - a. Call staff to assist
 - b. Apply restraints until help arrives
 - c. Initiate a “Code 44, by dialing”4911” on the nearest phone

“Restraints and Seclusion”

- 1. What are the reasons to restrain patients at the VAMC?**
 - a. Behavioral Health and Medical/Surgical
 - b. When the patient is at imminent risk of harming self or others.
 - c. When the patient interferes with medical treatment.
 - d. All of the above

- 2. Any method of restricting a person’s freedom of movement, physical activity or normal access to his/her body is considered a Restraint.**

True or False

- 3. Side rails can be used to secure and individual in bed or to keep them from getting out, which one is considered a restraint?**
 - a. Securing the individual in bed to keep them from falling in case they fall asleep
 - b. To secure the side rails to prevent the patient from climbing out of bed

- 4. Who can apply restraints?**
 - a. Nurses, LPNs, and Nursing Assistants trained to apply them at the Atlanta VAMC
 - b. Anyone working with the patient
 - c. Only the physician

- 5. What behaviors would indicate a potential need for restraints:**
 - a. Verbalizing intent to harm
 - b. combative
 - c. Cursing loudly and upsetting other patient
 - d. All of the above

Name _____ Date _____

“Cardiopulmonary Resuscitation”

1. Where the code button is located in the inpatient areas?

- a. On the wall near the light switch
- b. On the patients phone
- c. At the head of the bed in the inpatient area

2. To call a Code-99 you must?

- a. use overhead intercom to notify staff in your area
- b. yell the word code to receive help
- b.

Name _____ Date _____